



COPYRIGHT:
The design and details shown on this drawing are applicable to their project only and may not be reproduced in whole or in part or be used for any other project or purpose without the written permission of Limerick City and County Council with whom copyright resides.

DO NOT SCALE from this drawing. Use figured dimensions.
Contractor to check all dimensions on site prior to commencement of works. Any discrepancies are to be referred to the ARCHITECT.

Notes

Building set out and dimensions as per architects drawings

All drainage work to be in accordance with LCCC water services codes of practice

Contractor to allow for all required road opening and reinstatement works

Contractor to allow for all making good works associated with connection to existing services

Position of existing services based on site survey and historic records. Contractor to satisfy themselves as to the the exact position of all services before commencing ground works

Refer to architectural and M&E specification and drawings for rainwater pipe sizes and locations, aco specification, etc.

Position of drainage elements to be agreed on site with Engineer

Drainage pipework to be air tested before backfilling

All drainage network to be CCTV surveyed prior to handover

REVISIONS

DATE	REV.	BY	CHKD	DESCRIPTION
07/21	PP01	CL	-	REVISED LAYOUT
04/21	PP01	CL	-	DISCUSSION
03/21	PP00	CL	-	DRAFT

Limerick City and County Council
Design & Delivery Services
Merchants Quay
Limerick

PROJECT:
DD0064 - Proposed Refurbishment Works - Cappamore Fire Station, Cappamore, Limerick

STAGE:
Feasibility

DRAWING TITLE:
DD0064-C-605-Proposed SW Drainage Plan-PP02

DATE: 12/03/2021	DRAWING NO:
SCALE: 1:200	605
DRAWN: CL	SHEET SIZE:
CHECKED: -	A1
JOB NO: DD0064	REVISION: PP02